

University of Montana

ScholarWorks at University of Montana

University of Montana Conference on Undergraduate Research (UMCUR)

Apr 28th, 3:00 PM - 4:00 PM

Disruption of Imprinting and Abnormal Growth in Hybrids

Vanessa Stewart

University of Montana, vanessa.stewart@umontana.edu

Follow this and additional works at: <https://scholarworks.umt.edu/umcur>

Let us know how access to this document benefits you.

Stewart, Vanessa, "Disruption of Imprinting and Abnormal Growth in Hybrids" (2017). *University of Montana Conference on Undergraduate Research (UMCUR)*. 19.
<https://scholarworks.umt.edu/umcur/2017/pm posters/19>

This Poster is brought to you for free and open access by ScholarWorks at University of Montana. It has been accepted for inclusion in University of Montana Conference on Undergraduate Research (UMCUR) by an authorized administrator of ScholarWorks at University of Montana. For more information, please contact scholarworks@mso.umt.edu.

Disruption of Imprinting and Abnormal Growth in Hybrids

vanessa stewart

Disruption of Imprinting and Abnormal Growth in Hybrid Mammals


Vanessa J. Stewart

Research Advisor: Jeffrey M. Good

Division of Biological Sciences, University of Montana





Parent-of-origin growth effects




Abnormal growth patterns in hybrids are often parent-of-origin specific, such as mules (large, female horse x male donkey) and hinnies (small, female donkey x male horse). This is thought to be caused by a dosage imbalance of growth related genes.

Dwarf Hamster as a Model System



Brekke and Good 2014


Disrupted Imprinting in Hybrids



Brekke et al. 2016

Allele-Specific DNA Methylation


When a 'C' is followed by a 'G' in the genome, it may be methylated. Clusters of methylated 'C's are called CpG islands. These can alter gene expression levels.



Methods: Testing for Differential Methylation Patterns Between Hybrid hamsters and Parent Species



Candidate Gene Search

- Searched literature on all disrupted imprinted genes for evidence of CpG islands in other species
- Aligned gene sequences to find conserved regions for primer design





Lab Work

- Extracted DNA from placental tissue of parent species and reciprocal hybrids
- Treated extracted genomic DNA with sodium bisulfite to convert non-methylated 'C's to 'T's
- Designed primers to isolate desired CpG island regions
- Amplified region using PCR
- Sequenced amplified regions using PyroMark Sequencing



ATAAA
5' TATTTGACGTATATGTAG 3'
ACATC



Analysis

- Aligned sequencing reads of parent species and hybrids to compare differences in methylation status at specific sites (*in progress*)

Implications

Genome Evolution and Speciation

Molecular mechanisms that regulate development may play an important role in mammalian species formation. Imprinting regulation may contribute to postzygotic barriers that lead to speciation.

Human Health

Many of these genes are also found to be miss expressed in various types of cancer. Hybrid growth patterns are very similar to those found in rare but serious growth-related birth defects in humans, such as Beckwith-Weideman Syndrome.

Results/Conclusions

Studying DNA methylation in a non-model species faces many challenges. Nonetheless, my initial results have found several CpG islands around candidate genes that may control imprinting, and I have successfully designed primers for two of these so far.

Acknowledgements:

Erica Larson, Thomas Brekke, the Good lab, Alex Knox, Dan Vanderpool, the Breuner Lab

Funding:

The Tolle-Bekken Family Memorial Research Fund; Eunice Kennedy Shriver National Institute of Child Health and Human Development of the National Institutes of Health